







# SCM Series





## FEATURES

- 
- 
- 
- 



| Part No        | Impedance<br>@ 100 MHz<br>Min.<br>(Ω) | Impedance<br>@ 100 MHz<br>Typ.<br>(Ω) | DC Resistance<br>Max.<br>(Ω) | Rated Current<br>Max.<br>(mA) | Rated Volt<br>(V) | Withstand Volt<br>(V) | IR<br>Min.<br>(MΩ) |
|----------------|---------------------------------------|---------------------------------------|------------------------------|-------------------------------|-------------------|-----------------------|--------------------|
| SCM4532-900-40 | 68                                    | 90                                    | 0.050                        | 4000                          | 50                | 125                   | 10                 |
| SCM4532-231-35 | 173                                   | 230                                   | 0.050                        | 3500                          | 50                | 125                   | 10                 |
| SCM4532-421-32 | 300                                   | 420                                   | 0.055                        | 3200                          | 50                | 125                   | 10                 |
| SCM4532-601-25 | 450                                   | 600                                   | 0.060                        | 2500                          | 50                | 125                   | 10                 |
| SCM4532-901-23 | 650                                   | 900                                   | 0.070                        | 2300                          | 50                | 125                   | 10                 |
| SCM4532-142-20 | 1000                                  | 1400                                  | 0.100                        | 2000                          | 50                | 125                   | 10                 |
| SCM4532-282-09 | 2100                                  | 2800                                  | 0.350                        | 900                           | 50                | 125                   | 10                 |



:

•

•

•

•

•

•

•

•

•

•

•

•

•